

Innovation in DIGITAL SIGNAGE

Digital Tap Lens Content +





Digital Tap Lens Content +

Interact with customers on bars, countertops and eye-level spots through dynamic content tailored to your brand needs.





Digital Tap Lens Content +

The Digital Tap Lens comes equipped with new instant content-sharing technology. Every brand and marketing need is achievable with a click of a button.

- Respond directly to marketing needs
- Update lens content with target-group-specific content
- Connect your content to local marketing initiatives
- Save production and marketing costs

Digital Tap Lens Product Facts

Display type: TFT LCD IPS

Backlight type: Led

o Size: Diam. 75mm x D 36mm

o Color: 262.000 RGB 18bit

Brightness: 350 cs/m2

Active area (mm): 2.1 inch / diam. 26.64mm


Resolution: 480x480 pixels RGB

Frame rate per second: 30 fps

Storage: Micro sd card & cloud storage.

Network compatibility: Wi-Fi

Fitting size: Diam. 63mm

















Digital Tap Lens Product Facts

- Input voltage range: 5V DC
- Power consumption: 5V/100mA (max.)
- Working temperature: -20°C ~ +60°C
- Storage temperature: -20°C ~ +60°C
- Working humidity: 10% ~ 90%RH



See More.

GET IN TOUCH

Grow Your Brand.

